


16011

美制SAE外螺纹带O形圈
SAE O-RING MALE ISO 11926-SAE J1926

| 代号 PART Number | 螺纹E THREAD E | 软管 HOSE BORE | | O形圈 O RING | 尺寸 DIMENSIONS | | |
|----------------|-----------------|--------------|---------|---------------|---------------|------|----|
| | | 公称内径 DN | 标号 DASH | | A | C | S1 |
| 16011-04-04 | 7/16" x 20 | 6 | 04 | O904 | 21.5 | 9.1 | 14 |
| 16011-05-04 | 1/2" x 20 | 6 | 04 | O905 | 21.5 | 9.1 | 17 |
| 16011-06-05 | 9/16" x 18 | 8 | 05 | O906 | 22.5 | 9.9 | 17 |
| 16011-06-06 | 9/16" x 18 | 10 | 06 | O906 | 22.5 | 9.9 | 17 |
| 16011-08-06 | 3/4" x 16 | 10 | 06 | O908 | 24.5 | 11.1 | 22 |
| 16011-08-08 | 3/4" x 16 | 12 | 08 | O908 | 25 | 11.1 | 22 |
| 16011-10-08 | 7/8" x 14 | 12 | 08 | O910 | 29.5 | 12.7 | 27 |
| 16011-10-10 | 7/8" x 14 | 16 | 10 | O910 | 30.5 | 12.7 | 27 |
| 16011-12-10 | 1.1/16" x 12 | 16 | 10 | O912 | 34 | 15.1 | 32 |
| 16011-12-12 | 1.1/16" x 12 | 20 | 12 | O912 | 34 | 15.1 | 32 |
| 16011-16-16 | 1.5/16" x 12 | 25 | 16 | O916 | 36 | 15.1 | 38 |

注：1.表中代号用于编织软管。 2.如需用于缠绕软管代号改为16012-xx-xx。
Note: 1.For use with braided hoses 2.If use with spiral hoses,hose fitting serise number is16012-xx-xx.




15611

布锥管外螺纹 NPTMALE

| 代号 PART Number | 螺纹E THREAD E | 软管 HOSE BORE | | 尺寸 DIMENSIONS | | |
|----------------|-----------------|--------------|---------|---------------|------|----|
| | | 公称内径 DN | 标号 DASH | A | C | S1 |
| 15611-02-03 | Z1/8" x 27 | 5 | 03 | 22.5 | 10.5 | 12 |
| 15611-04-04 | Z1/4" x 18 | 6 | 04 | 28 | 15 | 17 |
| 15611-06-05 | Z3/8" x 18 | 8 | 05 | 28 | 16 | 19 |
| 15611-06-06 | Z3/8" x 18 | 10 | 06 | 30 | 16 | 19 |
| 15611-08-08 | Z1/2" x 18 | 12 | 08 | 34.53 | 19.5 | 22 |
| 15611-12-10 | Z3/4" x 14 | 16 | 10 | 38 | 19.5 | 27 |
| 15611-12-12 | Z3/4" x 14 | 20 | 12 | 38.5 | 19.5 | 27 |
| 15611-16-12 | Z1" x 11.5 | 20 | 12 | 45 | 25.5 | 36 |
| 15611-16-16 | Z1" x 11.5 | 25 | 16 | 44.5 | 25.5 | 36 |
| 15611-20-20 | Z1.1/4" x 11.5 | 32 | 20 | 49 | 26.5 | 46 |
| 15611-24-24 | Z1.1/2" x 11.5 | 40 | 24 | 51 | 27.5 | 50 |
| 15611-32-32 | Z2" x 11.5 | 50 | 32 | 55 | 27.5 | 65 |

注：1.表中代号用于编织软管。 2.如需用于缠绕代号改为15612-xx-xx。
Note:1.For use with braided house 2.If use with spira house,hose fitting serise number is 15612-xx-xx.




16711

美制JIC外螺纹74°外锥面
JIC MALE74° CONE
ISO 8434-2-SAE J514

| 代号 PART Number | 螺纹E THREAD E | 软管 HOSE BORE | | 尺寸 DIMENSIONS | | |
|----------------|-----------------|--------------|---------|---------------|------|----|
| | | 公称内径 DN | 标号 DASH | A | C | S1 |
| 16711-04-04 | 7/16" x 20 | 6 | 04 | 26.5 | 14 | 12 |
| 16711-05-05 | 1/2" x 20 | 8 | 05 | 26.5 | 14 | 14 |
| 16711-06-06 | 9/16" x 18 | 8 | 05 | 26.5 | 14.1 | 17 |
| 16711-06-06 | 9/16" x 18 | 10 | 06 | 26.5 | 14.1 | 17 |
| 16711-08-08 | 3/4" x 16 | 12 | 08 | 32 | 16.7 | 22 |
| 16711-10-10 | 7/8" x 14 | 16 | 10 | 35.5 | 19.3 | 24 |
| 16711-12-12 | 1.1/16" x 12 | 20 | 12 | 40 | 21.9 | 27 |
| 16711-14-12 | 1.3/16" x 12 | 20 | 12 | 40.5 | 22.6 | 32 |
| 16711-16-16 | 1.5/16" x 12 | 25 | 16 | 43.5 | 23.1 | 36 |
| 16711-20-20 | 1.5/8" x 12 | 32 | 20 | 47.5 | 24.3 | 46 |
| 16711-24-24 | 1.7/8" x 12 | 40 | 24 | 53 | 27.5 | 50 |
| 16711-32-32 | 2.1/2" x 12 | 50 | 32 | 62 | 33.9 | 65 |

注：1.表中代号用于编织软管。 2.如需用于缠绕代号改为16712-xx-xx。
Note:1.For use with braided house 2.If use with spira house,hose fitting serise number is 16712-xx-xx.




26711

26711-T

美制JIC内螺纹74°内锥面
JIC FEMALE74° CONE SEAT SAE J514

| 代号 PART Number | 螺纹E THREAD E | 软管 HOSE BORE | | 尺寸 DIMENSIONS | | |
|----------------|-----------------|--------------|---------|---------------|------|----|
| | | 公称内径 DN | 标号 DASH | A | C | S2 |
| 26711-04-04 | 7/16" x 20 | 6 | 04 | 15 | 9 | 15 |
| 26711-05-05 | 1/2" x 20 | 8 | 05 | 15.5 | 9.5 | 17 |
| 26711-06-05 | 9/16" x 18 | 8 | 05 | 15.5 | 10.5 | 19 |
| 26711-06-06 | 9/16" x 18 | 10 | 06 | 15.5 | 10.5 | 19 |
| 26711-08-06 | 3/4" x 16 | 10 | 06 | 17.5 | 11 | 24 |
| 26711-08-08 | 3/4" x 16 | 12 | 08 | 18 | 11 | 24 |
| 26711-10-10 | 7/8" x 14 | 16 | 10 | 20 | 13 | 27 |
| 26711-12-12 | 1.1/16" x 12 | 20 | 12 | 21.5 | 15 | 32 |
| 26711-14-12 | 1.3/16" x 12 | 20 | 12 | 21.5 | 15 | 36 |
| 26711-16-16 | 1.5/16" x 12 | 25 | 16 | 23 | 16 | 41 |
| 26711-20-20W | 1.5/8" x 12 | 32 | 20 | 26 | 17 | 50 |
| 26711-24-24W | 1.7/8" x 12 | 40 | 24 | 26.5 | 20 | 55 |
| 26711-32-24T | 2.1/2" x 12 | 40 | 24 | 27 | 23.5 | 75 |
| 26711-32-32T | 2.1/2" x 12 | 50 | 32 | 27 | 23.5 | 75 |

注：1.表中代号用于编织软管。 2.如需用于缠绕代号改为26712-xx-xx。
Note:1.For use with braided house 2.If use with spira house,hose fitting serise number is 26712-xx-xx.



26741


26741-W

45° 美制JIC内螺纹74° 内锥面
45° JIC FEMALE 74° CONE SEAT SAE J514

| 代号 PART Number | 螺纹E THREAD E | 软管 HOSE BORE | | 尺寸 DIMENSIONS | | | |
|----------------|-----------------|--------------|---------|---------------|------|------|----|
| | | 公称内径 DN | 标号 DASH | A | C | H | S2 |
| 26741-04-04 | 7/16" x 20 | 6 | 04 | 40.2 | 9 | 18.1 | 15 |
| 26741-05-05 | 1/2" x 20 | 8 | 05 | 42.7 | 9.5 | 19.3 | 17 |
| 26741-06-05 | 9/16" x 18 | 8 | 05 | 42.7 | 10.5 | 19.3 | 19 |
| 26741-06-06 | 9/16" x 18 | 10 | 06 | 44.3 | 10.5 | 20 | 19 |
| 26741-08-08 | 3/4" x 16 | 12 | 08 | 58.6 | 11 | 23.5 | 24 |
| 26741-10-10 | 7/8" x 14 | 16 | 10 | 70.1 | 13 | 25.3 | 27 |
| 26741-12-12 | 1.1/16" x 12 | 20 | 12 | 77.4 | 15 | 30 | 32 |
| 26741-14-12 | 1.3/16" x 12 | 20 | 12 | 77.4 | 15 | 30 | 36 |
| 26741-16-16 | 1.5/16" x 12 | 25 | 16 | 85.7 | 16 | 31.5 | 41 |
| 26741-20-20W | 1.5/8" x 12 | 32 | 20 | 96.6 | 17 | 35.9 | 50 |
| 26741-24-24W | 1.7/8" x 12 | 40 | 24 | 111.8 | 20 | 44.1 | 55 |
| 26741-32-32W | 2.1/2" x 12 | 50 | 32 | 135.9 | 23.5 | 51.6 | 75 |

注：1.表中代号用于编织软管。
Note:1.For use with braided house

2.如需用于缠绕代号改为26742-xx-xx。
2.If use with spira house,hose fitting serise number is 26742-xx-xx.




26791K

90° 美制短身JIC内螺纹74° 内锥面
90° JIC COMPACT FEMALE 74° CONE SEAT SAE J514

| 代号 PART Number | 螺纹E THREAD E | 软管 HOSE BORE | | 尺寸 DIMENSIONS | | | | |
|----------------|-----------------|--------------|---------|---------------|------|------|----|----|
| | | 公称内径 DN | 标号 DASH | A | C | H | S1 | S2 |
| 26791K-04-04 | 7/16" X 20 | 6 | 04 | 17.5 | 9 | 18 | 11 | 15 |
| 26791K-06-04 | 9/16" X 18 | 6 | 04 | 19 | 10.5 | 21 | 14 | 19 |
| 26791K-06-06 | 9/16" X 18 | 10 | 06 | 20 | 10.5 | 21 | 16 | 19 |
| 26791K-08-06 | 3/4" X 16 | 10 | 06 | 23 | 11 | 25 | 19 | 24 |
| 26791K-08-08 | 3/4" X 16 | 12 | 08 | 23.5 | 11 | 25 | 22 | 24 |
| 26791K-10-08 | 7/8" X 14 | 12 | 08 | 23.5 | 13 | 27.5 | 22 | 27 |
| 26791K-10-10 | 7/8" X 14 | 16 | 20 | 25 | 13 | 27.5 | 22 | 27 |
| 26791K-12-12 | 1.1/16" X 12 | 20 | 12 | 27.5 | 15 | 30 | 27 | 32 |
| 26791K-16-16 | 1.5/16" X 12 | 25 | 16 | 43 | 16 | 34.3 | 33 | 41 |

注：1.表中代号用于编织软管。
Note:1.For use with braided house

2.如需用于缠绕代号改为26792K-xx-xx。
2.If use with spira house,hose fitting serise number is 26792K-xx-xx.



26791


26791-W

90° 美制JIC内螺纹74° 内锥面
90° JIC FEMALE 74° CONE SEAT SAE J514

| 代号 PART Number | 螺纹E THREAD E | 软管 HOSE BORE | | 尺寸 DIMENSIONS | | | |
|----------------|-----------------|--------------|---------|---------------|------|-------|----|
| | | 公称内径 DN | 标号 DASH | A | C | H | S2 |
| 26791-04-04 | 7/16" x 20 | 6 | 04 | 30 | 9 | 33.5 | 15 |
| 26791-05-05 | 1/2" x 20 | 8 | 05 | 33 | 9.5 | 37 | 17 |
| 26791-06-05 | 9/16" x 18 | 8 | 05 | 33 | 10.5 | 37 | 19 |
| 26791-06-06 | 9/16" x 18 | 10 | 06 | 35.3 | 10.5 | 39.3 | 19 |
| 26791-08-06 | 3/4" x 16 | 10 | 06 | 35.3 | 11 | 41.3 | 24 |
| 26791-08-08 | 3/4" x 16 | 12 | 08 | 41 | 11 | 47 | 24 |
| 26791-10-10 | 7/8" x 14 | 16 | 10 | 56.5 | 13 | 52.5 | 27 |
| 26791-12-12 | 1.1/16" x 12 | 20 | 12 | 65.5 | 15 | 63.5 | 32 |
| 26791-14-16 | 1.3/16" x 12 | 20 | 12 | 65.5 | 15 | 63.5 | 36 |
| 26791-16-16 | 1.5/16" x 12 | 25 | 16 | 76.7 | 16 | 70 | 41 |
| 26791-20-20W | 1.5/8" x 12 | 32 | 20 | 91.5 | 17 | 50.5 | 50 |
| 26791-24-24W | 1.7/8" x 12 | 40 | 24 | 109.4 | 20 | 94 | 55 |
| 26791-32-32W | 2.1/2" x 12 | 50 | 32 | 133.1 | 23.5 | 121.8 | 75 |

注：1.表中代号用于编织软管。
Note:1.For use with braided house

2.如需用于缠绕代号改为26792-xx-xx。
2.If use with spira house,hose fitting serise number is 26792-xx-xx.




26711D

美制JIC内螺纹74° 内锥面双六角
JIC FEMALE 7° CONE SEAT DOUBEL HEXAGON
SAE J514

| 代号 PART Number | 螺纹E THREAD E | 软管 HOSE BORE | | 尺寸 DIMENSIONS | | | |
|----------------|-----------------|--------------|---------|---------------|------|----|----|
| | | 公称内径 DN | 标号 DASH | A | C | S1 | S2 |
| 26711D-04-04 | 7/16" x 20 | 6 | 04 | 20 | 9 | 15 | 15 |
| 26711D-05-04 | 1/2" x 20 | 6 | 04 | 20.5 | 9.5 | 17 | 17 |
| 26711D-06-04 | 9/16" x 18 | 6 | 04 | 21 | 10.5 | 19 | 19 |
| 26711D-06-06 | 9/16" x 18 | 10 | 06 | 21 | 10.5 | 19 | 19 |
| 26711D-08-06 | 3/4" x 16 | 10 | 06 | 25 | 11 | 24 | 24 |
| 26711D-08-08 | 3/4" x 16 | 12 | 08 | 24.5 | 11 | 24 | 24 |
| 26711D-08-10 | 3/4" x 16 | 16 | 10 | 25.5 | 11 | 24 | 24 |
| 26711D-10-08 | 7/8" x 14 | 12 | 08 | 28 | 13 | 27 | 27 |
| 26711D-10-10 | 7/8" x 14 | 16 | 10 | 29 | 13 | 27 | 27 |
| 26711D-12-12 | 1.1/16" x 12 | 20 | 12 | 31.5 | 15 | 32 | 32 |
| 26711D-16-12 | 1.5/16" x 12 | 20 | 12 | 33.5 | 16 | 41 | 41 |
| 26711D-16-16 | 1.5/16" x 12 | 25 | 16 | 34.5 | 16 | 41 | 41 |
| 26711D-16-20 | 1.5/16" x 12 | 32 | 20 | 36.5 | 16 | 41 | 41 |
| 26711D-20-20 | 1.7/16" x 12 | 32 | 20 | 39 | 17 | 50 | 50 |

注：1.表中代号用于编织软管。
Note:1.For use with braided house

2.如需用于缠绕代号改为26712D-xx-xx。
2.If use with spira house,hose fitting serise number is 26712D-xx-xx.




26711D-SM

美制JIC内螺纹74°内锥面双六角
JIC FEMALE 74° CONE SEAT DOUBEL HEXAGON
SAE Js14

| 代号 PART Number | 螺纹E THREAD E | 软管 HOSE BORE | | 尺寸 DIMENSIONS | | | |
|----------------|-----------------|--------------|---------|---------------|------|----|----|
| | | 公称内径 DN | 标号 DASH | A | C | S1 | S2 |
| 26711D-04-04SM | 7/16" x 20 | 6 | 04 | 20 | 9 | 12 | 15 |
| 26711D-05-04SM | 1/2" x 20 | 6 | 04 | 20.5 | 9.5 | 12 | 17 |
| 26711D-06-04SM | 9/16" x 18 | 6 | 04 | 21 | 10.5 | 14 | 19 |
| 26711D-06-06SM | 9/16" x 18 | 10 | 06 | 21 | 10.5 | 17 | 19 |
| 26711D-08-06SM | 3/4" x 16 | 10 | 06 | 23 | 11 | 19 | 24 |
| 26711D-08-08SM | 3/4" x 16 | 12 | 08 | 24.5 | 11 | 22 | 24 |
| 26711D-08-10SM | 3/4" x 16 | 16 | 10 | 25.5 | 11 | 22 | 24 |
| 26711D-10-08SM | 7/8" x 14 | 12 | 08 | 24 | 13 | 22 | 27 |
| 26711D-10-10SM | 7/8" x 14 | 16 | 10 | 27 | 13 | 22 | 27 |
| 26711D-12-12SM | 1.1/16" x 12 | 20 | 12 | 31.5 | 15 | 27 | 32 |
| 26711D-16-12SM | 1.5/16" x 12 | 20 | 12 | 31.5 | 16 | 32 | 41 |
| 26711D-16-16SM | 1.5/16" x 12 | 25 | 16 | 32.5 | 16 | 32 | 41 |
| 26711D-20-20SM | 1.7/16" x 12 | 32 | 20 | 37 | 17 | 41 | 50 |

注：1.表中代号用于编织软管。 2.如需用于缠绕代号改为26712D-xx-xxSM
Note:1.For use with braided house 2.If use with spira house,hose fitting serise number is 26712D-xx-xxSM




17811

美制SAE外螺纹90°外锥面
SAE MALE 90° CONE SAE J513

| 代号 PART Number | 螺纹E THREAD E | 软管 HOSE BORE | | 尺寸 DIMENSIONS | | |
|----------------|-----------------|--------------|---------|---------------|------|----|
| | | 公称内径 DN | 标号 DASH | A | C | S1 |
| 17811-04-04 | 7/16" x 20 | 6 | 04 | 25.5 | 12.7 | 12 |
| 17811-05-05 | 1/2" x 20 | 8 | 05 | 27 | 14.2 | 14 |
| 17811-06-06 | 5/8" x 18 | 10 | 06 | 28.5 | 15.7 | 17 |
| 17811-08-08 | 3/4" x 18 | 12 | 08 | 34 | 19 | 22 |
| 17811-10-10 | 7/8" x 16 | 16 | 10 | 38.5 | 22.4 | 24 |
| 17811-12-12 | 1.1/16" x 12 | 20 | 12 | 43.5 | 25.4 | 30 |

注：1.表中代号用于编织软管。 2.如需用于缠绕代号改为17812-xx-xx。
Note:1.For use with braided house 2.If use with spira house,hose fitting serise number is 17812-xx-xx.




27811

美制SAE内螺纹90°内锥面
SAE FEMALE 90° CONE SEAT
SAE J513

| 代号 PART Number | 螺纹E THREAD E | 软管 HOSE BORE | | 尺寸 DIMENSIONS | | |
|----------------|-----------------|--------------|---------|---------------|------|----|
| | | 公称内径 DN | 标号 DASH | A | C | S1 |
| 27811-04-03 | 7/16" x 20 | 5 | 03 | 14 | 9 | 15 |
| 27811-04-04 | 7/16" x 20 | 6 | 04 | 15 | 9 | 15 |
| 27811-05-05 | 1/2" x 20 | 8 | 05 | 15.5 | 9.5 | 17 |
| 27811-06-04 | 5/8" x 18 | 6 | 04 | 17 | 11.3 | 22 |
| 27811-06-05 | 5/8" x 18 | 8 | 05 | 17 | 11.3 | 22 |
| 27811-06-06 | 5/8" x 18 | 10 | 06 | 17 | 11.3 | 22 |
| 27811-08-08 | 3/4" x 16 | 12 | 08 | 18 | 11 | 24 |
| 27811-10-08 | 7/8" x 14 | 12 | 08 | 18.5 | 13 | 27 |
| 27811-10-10 | 7/8" x 14 | 16 | 10 | 20 | 13 | 27 |
| 27811-12-12 | 1.1/16" x 14 | 20 | 12 | 21.5 | 14.3 | 32 |

注：1.表中代号用于编织软管。 2.如需用于缠绕代号改为27812-xx-xx。
Note:1.For use with braided house 2.If use with spira house,hose fitting serise number is 27812-xx-xx



27841

45°美制SAE内螺纹90°内锥面
45° SAE FEMALE 90° CONE SEAT
SAE J513

| 代号 PART Number | 螺纹E THREAD E | 软管 HOSE BORE | | 尺寸 DIMENSIONS | | | |
|----------------|-----------------|--------------|---------|---------------|------|------|----|
| | | 公称内径 DN | 标号 DASH | A | C | H | S2 |
| 27841-04-03 | 7/16" x 20 | 5 | 03 | 37.6 | 9 | 17.2 | 15 |
| 27841-06-04 | 5/8" x 18 | 6 | 04 | 42 | 11.3 | 19.9 | 22 |
| 27841-06-05 | 5/8" x 18 | 8 | 05 | 44.1 | 11.3 | 20.7 | 22 |
| 27841-06-06 | 5/8" x 18 | 10 | 06 | 45.7 | 11.3 | 21.4 | 22 |
| 27841-08-08 | 3/4" x 16 | 12 | 08 | 58.2 | 11 | 23.3 | 24 |
| 27841-10-08 | 7/8" x 14 | 12 | 08 | 58.2 | 13 | 23.3 | 27 |
| 27841-10-10 | 7/8" x 14 | 16 | 10 | 69.4 | 13 | 24.6 | 27 |
| 27841-12-12 | 1.1/16" x 12 | 20 | 12 | 77.4 | 14.3 | 30 | 32 |

注：1.表中代号用于编织软管。 2.如需用于缠绕代号改为27842-xx-xx。
Note:1.For use with braided house 2.If use with spira house,hose fitting serise number is 27842-xx-xx